
RANGE COMPOSITION

The Zanussi Dishwashing range is produced for customers with the highest conceivable demands in efficiency, economy and ergonomics dishwashing operation. The product range comprises glasswashers, undercounter dishwashers, hood type dishwashers and pot and pan washers. The Air-Drying Tunnels complete the rack type dishwashing range.



AIR DRYING TUNNEL FOR RTM

RACK TYPE DISHWASHERS

ZANUSSI

FUNCTIONAL AND CONSTRUCTION FEATURES

- ♦ It is designed to be placed on any Zanussi modular (RTM) rack type dishwasher.
- ♦ The air drying tunnel is available in two versions: 900mm for machines faster than 165 rack/hour and 600mm suited for machines slower than 165 rack/hour.
- ◆ The feeding system from the dishwasher and the curve will automatically move the racks through the Air-Drying Tunnel.
- ♦ The drying zone removes every trace of water from the crockery, through a high powered fan that extracts dry air from outside, providing dry plates at a low temperature.

- ♦ The automatic start/stop function switches off the machine when not in use, to save energy.
- ◆ Electronically controlled to optimize the drying results.
- ♦ The hygienic design provides easy cleaning through a door that gives full accessibility to the interior of the tunnel.
- ♦ 304 AISI stainless steel front, side and top panels.
- ♦ Developed and produced in an ISO 9001 and ISO 14001 certified factory.
- ◆ CFĆ free packaging.


CHARACTERISTICS	MODELS				
	ADTLERMD 864500	ADTLELMD 864501	ADTERMD 864510	ADTELMD 864511	
Power supply	Electric	Electric	Electric	Electric	
eeding direction	from Right to Left	from Left to Right	from Right to Left	from Left to Right	
External dimensions - mm					
width	900	900	600	600	
depth	884	884	884	884	
height	1922	1922	1771	1771	
Power - kW					
electric	9.4	9.4	8.5	8.5	





www.zanussiprofessional.com


RACK TYPE DISHWASHERS AIR DRYING TUNNEL FOR RTM



LEGEND		
	ADTLERMD 864500	ADTLELMD 864501
	004300	004301
D - Water drain	G 1 1/2"	G 1 1/2"
El - Electrical connection	400 V, 3N, 50/60	400 V, 3N, 50/60



EBCE10



LEGEND		
	ADTERMD 864510	ADTELMD 864511
D - Water drain	G 1 1/2"	G 1 1/2"
EI - Electrical connection	400 V, 3N, 50/60	400 V, 3N, 50/60

